

6. Resultados de la revisión sistemática

Las palabras clave específicas para cada tema valorado críticamente se encuentran descritas en la Tabla IX. La estrategia de búsqueda ha sido la siguiente:

A) CDSR (Cochrane Database of Systematic Reviews), ACP Journal Club, DARE (Database of Abstracts of Reviews of Effects), CCTR (Cochrane Controlled Trials Register)

- *Palabra/s clave*.mp. [mp=ti, ot, ab, tx, kw, ct, sh, hw] Y
- Nocturnal enuresis.mp. [mp=ti, ot, ab, tx, kw, ct, sh, hw]

B) TRIP DATABASE con la estrategia

- *Palabra/s clave* AND nocturnal enuresis
In TITLE And TEXTE
And
Evidence Based
Guidelines
General Peer-reviewed journals
Query-answering services
Specialist Peer-reviewed journals

C) SUMSEARCH

- *Palabra/s clave* AND NOCTURNAL ENURESIS
(Foco: NOFOCUS, edad: CHILD, sujetos: HUMAN)

D) BANDOLIER

- Enuresis, bedwetting, bed wetting
OR bed-wetting

E) EMBASE (sólo tratamiento)

- Bedwetting AND *Palabra/s clave*

F) Clinical Evidence

- *Palabra/s clave* AND enuresis

G) Índice Médico Español

- “Enuresis nocturna” Y *Palabra/s clave (en español)*

H) PubMed

- Therapy specific search (búsqueda estrecha)
(Bedwetting [MeSH] AND *Palabra/s clave*) AND (randomized controlled trial [Publication Type] OR (randomized [Title/Abstract] AND controlled [Title/Abstract] AND trial [Title/Abstract]))

- Therapy sensitive search (búsqueda amplia)
(Bedwetting [MeSH] AND *Palabra/s clave*) AND ((clinical [Title/Abstract] AND trial[Title/Abstract]) OR clinical trials [MeSH Terms] OR clinical trial [Publication Type] OR random* [Title/Abstract] OR random allocation [MeSH Terms] OR therapeutic use [MeSH Subheading])
- Diagnosis Specificity (búsqueda estrecha)
("nocturnal enuresis" AND *Palabra/s clave*) AND (specificity [Title/Abstract])
- Diagnosis Sensitivity (búsqueda amplia)
("nocturnal enuresis" AND *Palabra/s clave*) AND (sensitiv* [Title/Abstract] OR sensitivity and specificity [MeSH Terms] OR diagnos* [Title/Abstract] OR diagnosis [MeSH:noexp] OR diagnostic* [MeSH:noexp] OR diagnosis,differential [MeSH:noexp] OR diagnosis [Subheading:noexp])
- Etiology Specificity (búsqueda estrecha)
("nocturnal enuresis" AND *Palabra/s clave*) AND ((relative [Title/Abstract] AND risk* [Title/Abstract]) OR (relative risk[Text Word]) OR risks [Text Word] OR cohort studies [MeSH:noexp] OR (cohort [Title/Abstract] AND stud* [Title/ Abstract]))
- Etiology Sensitivity (búsqueda amplia)
("nocturnal enuresis" AND *Palabra/s clave*) AND (risk* [Title/Abstract] OR risk* [MeSH:noexp] OR risk* [MeSH:noexp] OR cohort studies [MeSH Terms] OR group* [Text Word])
- Prognosis Specificity (búsqueda estrecha)
("nocturnal enuresis" AND *Palabra/s clave*) AND (prognos* [Title/Abstract] OR (first [Title/Abstract] AND episode [Title/Abstract]) OR cohort [Title/Abstract])
- Prognosis Sensitivity (búsqueda amplia)
("nocturnal enuresis" AND *Palabra/s clave*) AND (incidence [MeSH:noexp] OR mortality [MeSH Terms] OR follow up studies [MeSH:noexp] OR prognos* [Text Word] OR predict* [Text Word] OR course* [Text Word])

La estrategia inicial en PubMed ha sido búsqueda estrecha, pero cuando no hubo resultados suficientes se procedió a realizar una búsqueda amplia.

Tabla IX. Revisión sistemática. Detalle de las búsquedas y resultados para cada tema evaluado críticamente

Tema	Palabra/s clave	Hallados	Lectura crítica	Selecciónados	Citados
Asoc. cefalea crónica	headache OR cephalaea*	41	2	2	2
Asoc. epilepsia	epilepsy NOT (hyponatremic AND desmopressin)	161	13	4	4
Asoc. TDAH	attention deficit disorder	13	4 + 3 manual	6	6 + 1 rv
Asoc. Problemas psicológicos	esteem OR self esteem	339 42 autoestima	18 5 autoestima	5	5
Asoc. problemas despertar	Sleep Arousal Disorders	52	6	4	4
Asoc. apnea del sueño	apnea (porque sleep apnea, obstructive" [MeSH] no obtuvo resultados)	35	2	2	2
Asoc. asma /alergia	asthma OR allergy	43	3	3	3 + 3 rv
Asoc. cafeína	caffeine	3	0	0	0
Asoc. encopresis /estreñimiento	constipation [MeSH]	30	10	4	4
Asoc. oxiuriasis	oxiuros OR "enterobius vermicularis"	4	1	1	1 + 1 rv
Asoc. inf urinaria	- "urinary tract infections" [MeSH] AND monosymptomatic - "asymptomatic bacteriuria" - (persistent OR refractory OR adolescent OR adult) AND (infection OR bacteriuria))	40	5	3	3
Asoc. diabetes mellitus	"diabetes mellitus" [MeSH]	3	1 + 1 manual	1	1
Asoc. diabetes insípida	"diabetes insipidus" [MeSH]	15	4	0	0 + 2 rv
Asoc. hipercalcemia	hypercalciuria	5	3	2	2
Asoc. hiperactividad del detrusor	- nocturnal enuresis AND (daytime wetting OR (dysfunction* AND voiding) OR (volume OR capacity OR frequency OR urgency) AND (bladder OR micturition) - voiding AND Dysfunction* AND "nocturnal enuresis" AND monosymptomatic	30	6	5	5

(...)

(.../...)					
Tema	Palabra/s clave	Hallados	Lectura crítica	Seleccionados	Citados
Diario miccional	"frequency-volume chart" OR "voiding chart" OR "voiding diary" OR "micturition chart" OR "micturition diary"	14	1 + 3 manual	3	3 + 1rv
Inf. urinaria diagnóstico en ENPM	(Monosymptomatic AND "Enuresis/diagnosis" [MeSH] AND "Urinary Tract Infections/ diagnosis" [MeSH])	14	9	2	2
Inf. urinaria método diagnóstico	(("Urinary Tract Infections/ diagnosis" [MeSH] OR "Urinary Tract Infections/epidemiology" [MeSH] OR "Urinary Tract Infections/urine" [MeSH]) AND dipstick)	12	5	3	0
Diabetes insípida diagnóstico	"diabetes insipidus" [MeSH]	5 + 2 ep	0 + 1 ep	1	1 ep
Tto. conductual simple	(training OR behavioural)	co + 0	4	4	4
Tto. conductual complejo y educacionales	(training OR behavioural OR patient education/) methods[mesh]	co + 0	6	6	6
Tto. con alarma	alarm	12 co + co + 1	14	10	10
Tto. desmopresina	desmopressin	43 + co	10 + 17 co	27	25
Tto. desmopresina + anticolinérgicos	desmopressin AND anticholinergic	19	4	3	3
Pronóstico	("treatment variables" OR predict* OR prognos* OR "prognosis factor" OR "prognosis factors" OR "response factor" OR "response variable" OR "effectiveness factor" OR "effectiveness variable" OR "treatment variable" OR "treatment factor")	54	29	18	18

ep = de epidemiología, co = de la revisión Cochrane, rv = artículos de revisión

Cuando aun así no se encontraron suficientes artículos de calidad, se realizó una búsqueda sin filtros. Los límites "Field: All Fields,Limits: Publication Date from 2002" se añadieron a las bús-

quedas de tratamiento de alarma, desmopresina y terapia conductual simple y compleja porque tomaron como punto de partida los artículos de la revisión Cochrane hasta dicha fecha.